

**IN THE CLAIMS:**

**Kindly replace the claims of record with the following full set of claims:**

1. (Cancelled)
2. (previously presented) A method for providing an automated report in a computer based system, comprising:
  - identifying diagnostic findings commonly repeated in reports of a specific type;
  - translating the identified findings into a reporting language;
  - inserting the translated findings into a language encoded database; and
  - using the language encoded database in a physician-directed iterative process to identify diagnostic findings responsive to a plurality of observed images,
  - wherein said identifying comprises analyzing a plurality of reports generated at a particular site.
3. (previously presented) The method of claim 5, wherein said identifying comprises analyzing a plurality of reports generated in response to a particular study.
4. (previously presented) The method of claim 5, wherein said translating occurs on a computer-based user interface and comprises modifying, into a different reporting language, text of a diagnostic finding used to generate a report product.
5. (previously presented) A method for providing an automated report in a computer based system, comprising:

identifying diagnostic findings commonly repeated in reports of a specific type;  
translating the identified findings into a reporting language;  
inserting the translated findings into a language encoded database; and  
using the language encoded database in a physician-directed iterative process to  
identify diagnostic findings responsive to a plurality of observed images, wherein using  
comprises verifying that a diagnostic finding is encoded with a language identifier  
indicative of a match with an operator desired reporting language before adding the  
diagnostic finding to a report.

6. (previously presented) A method for providing an automated report in a  
computer based system, comprising:

identifying diagnostic findings commonly repeated in reports of a specific type;  
translating the identified findings into a reporting language;  
inserting the translated findings into a language encoded database; and  
using the language encoded database in a physician-directed iterative process to  
identify diagnostic findings responsive to a plurality of observed images, wherein using  
comprises verifying that a diagnostic finding is encoded with a language identifier  
indicative of a match with an operator desired reporting language before adding the  
diagnostic finding to a finding set.

7. (previously presented) A method for providing an automated report in a computer based system, comprising:

- identifying diagnostic findings commonly repeated in reports of a specific type;
- translating the identified findings into a reporting language;
- inserting the translated findings into a language encoded database;
- using the language encoded database in a physician-directed iterative process to identify diagnostic findings responsive to a plurality of observed images; and
- providing access to a multi-lingual reporting physician to an editor, wherein the physician generates, in a desired reporting language, customized diagnostic findings that are subsequently subject to said process to identify.

8. (previously presented) The method of claim 6, wherein using comprises associating said finding set with a desired reporting language.

9. (original) The method of claim 7, wherein the customized diagnostic findings derive from a previously approved set of diagnostic findings in the reporting physician's desired reporting language.

10. (original) The method of claim 8, wherein using comprises associating the diagnostic finding set with a desired study.

11. (previously presented) A computer based diagnostic reporting system, comprising:

means for providing a plurality of diagnostic findings in a text form conducive for use in a diagnostic report;

means for translating the plurality of diagnostic findings into a reporting language;

means for supplying the plurality of diagnostic findings in the reporting language;

and

means for selectively applying the plurality of diagnostic findings to generate the diagnostic report, subject to verifying that a candidate finding of the plural findings to be applied is encoded with a language identifier indicative of a match with an operator desired reporting language.

12. (previously presented) The system of claim 11, wherein the providing means comprises means for storing a plurality of diagnostic findings generated by a supervising physician skilled in the analysis of a study.

13. (previously presented) The system of claim 11, wherein said translating occurs on a computer-based user interface and the translating means comprises means for modifying, into a different reporting language, a plurality of diagnostic findings.

14. (previously presented) The system of claim 11, further comprising means for storing the plural translated findings, wherein the supplying means comprises means for

selectively retrieving the stored findings in the reporting language.

15. (original) The system of claim 11, wherein the applying means comprises a medical report generator configured to format the plurality of diagnostic findings in a pre-determined report format.

16. (original) The system of claim 13, wherein the plurality of diagnostic findings are generated by a multi-lingual physician skilled in the analysis of a study.

17. (Cancelled)

18. (previously presented) The system of claim 19, wherein the software application is programmed to store data associated with a particular report and operative to selectively retrieve and regenerate the stored data.

19. (previously presented) A software application driven report generation system, comprising:

a user interface operable to receive a report template, a plurality of diagnostic findings, and inputs from an operator, the user interface further programmed to provide an output indicative of a report;

a decision logic engine operable to receive the output from the user interface, and the plurality of diagnostic findings, and to evaluate the inputs from the operator, wherein

the decision logic engine provides an output indicative of a formatted version of the desired report; and

a renderer configured to receive the output indicative of the formatted version of the desired report and to generate a signal compatible with the report output device, wherein the software application is configured with logic for verifying that a plurality of diagnostic findings selected for inclusion in a report are reflective of the same reporting language.

20. (original) The system of claim 19, wherein the software application is configured with logic that permits a multi-lingual reporter to edit diagnostic findings in a desired reporting language.